



MODULAR FLOORING WITH A UNIQUE SHEEN



MONN Flux - A new-look contemporary range of loose – lay tufted carpet tiles. Elegant proportions, subtle colouring and innovative design detail all contribute to the versatility of this range. MONN Flux has been inspired by oxidized metal features found in urban architecture.

The range is available is four colourways. These colourways are complimented by four metallic effect tiles with lustrous accent yarns that evoke a subtle and shimmering finish. Not

only does MONN Flux achieve a luxurious aesthetic but also allows for endless possibilities to create patterns.

MONN Flux, a soft flooring carpet tile provides excellent sound insulation and improves air quality thanks to its dust-capturing capabilities, making it highly suitable for commercial use. The solution–dyed Aquafil Nylon 6 fibre has excellent durability and colour fastness ensuring the longevity of MONN Flux installations.

COLOUR & SPECIFICATIONS



Head Office
Harrismith
+27 58 623 2805
enquiries@monn.co.za

Design & Sales DepartmentJohannesburg
+27 11 704 7379

Design & Sales DepartmentCape Town
+27 21 555 0751

www.monn.co.za

PERFORMANCE AND BENEFITS

The slender plank-like modules of MONN Flux allow for a variety of laying patterns and different colours from the same range can be used to create borders or zones within a single space. The modular system also allows for easy replacement of individual tiles that may get damaged or worn over time. Compared to laminates and hard flooring systems, Flux provides superior comfort and sound insulation, while also enhancing indoor air quality by trapping dust particles.

COLOUR SELECTION

Choosing the right colour for the right application in terms of traffic and use, is important to ensure the long term appearance and serviceability of your MONN Flux floor. Consult our experienced sales representatives for advice on the best colour for your project.

STAIN RESISTANCE

MONN Flux is made from Aquafil Alto Chroma Nylon-6. This 100% solution-dyed nylon pile surface has superior colour fastness and stain resistance ensuring MONN Flux retains its original appearance for longer. All MONN Flux modules have been pre-washed, increasing resistance to traffic-related soiling.

MAINTENANCE

The effectiveness of any cleaning programme depends on careful supervision and the correct use of the right equipment. Consider a maintenance programme in accordance with SANS 10245:2008. Vacuuming and quick spill clean-up is the most effective and economical way of maintaining your MONN Flux floor. Comprehensive maintenance guides are readily available from our sales office and online at www.monn.co.za.

INSTALLATION

Installation is critical in ensuring that the full potential of your MONN Flux floor is realised. Fitting should be done by specialist contractors who install according to SANS 10186:2010. Installation guides are included with each box of MONN Flux.

Tile Size
Construction

Tufted Textured
Loop Pile
Tufted Gauge
Fibre Type

Tufted Gauge
Fibre Type

Tufted Gauge
Fibre Type

Tufted Gauge
Fibre Type

Nylon 6

MONN Grading

Heavy Commercial

Fire Rating
Pile Height

Total Thickness
Total Mass
Static Control
Green label plus

Plass 2
+/- 3.25 mm
+/- 7.25 mm
+/- 4200 g/sqm
Permanent
PASS

Normal tolerances apply

DISCLAIMER:

Please note that colour samples are not exact indications of the final MONN Flux floor colours. Samples may be subject to colour gradients and other styling effects unique to MONN Flux.