

MONN®

MURA



A SUBTLE TEXTURAL TILE FOR A REFINED FINISH




MONN Mura is a softly textured loop-pile, loose-lay carpet tile with subtle irregularity in colour to create a natural organic feel. The understated linear design allows for a variety of different laying patterns to create a contemporary look.

The range is available in five colourways that span a range of modern greys, from light melange to dark inky tones.


Mura soft flooring provides excellent sound insulation and improved air quality thanks to its dust-capturing capabilities, making it highly suitable for commercial use.

The solution-dyed Aquafil Chroma 3 fibre provides excellent durability and colour fastness, and ensures the longevity of MONN Mura floors.

COLOUR & SPECIFICATIONS



ASH




SAGE



SLATE



SABLE



COAL

Head Office

Harrismith
+27 58 623 2805
enquiries@monn.co.za

Design & Sales Department

Johannesburg
+27 11 704 7379

Design & Sales Department

Cape Town
+27 21 555 0751

www.monn.co.za

PERFORMANCE AND BENEFITS

The slender plank-like modules of MONN Mura allow for a variety of laying patterns. Different colours from the same range can be used to create borders or zones. Mura's dimensions are also compatible with MONN Planc and when used together provide endless design possibilities. The modular system also allows for easy replacement of individual tiles that may get damaged or worn over time.

Compared to laminates and hard flooring systems, Mura provides superior comfort and sound insulation, while also enhancing indoor air quality by trapping dust particles.

COLOUR SELECTION

Choosing the right colour for the right application in terms of traffic and use, are important to ensure the long term appearance and serviceability of your MONN Mura floor. Consult our experienced sales representatives for advice on the best colour for your project.

STAIN RESISTANCE

MONN Mura is made from Aquafil Chroma 3. This 100% solution-dyed nylon pile surface has superior colour fastness and stain resistance ensuring MONN Mura retains its original appearance for longer. All MONN Mura modules have been pre-washed, increasing resistance to traffic-related soiling.

MAINTENANCE

The effectiveness of any cleaning programme depends on careful supervision and the correct use of the right equipment. Consider a maintenance programme in accordance with SANS 10245:2008. Vacuuming and quick spill clean-up is the most effective and economical way of maintaining your MONN Mura floor. Comprehensive maintenance guides are readily available from our sales office and online at www.monnc.co.za.

INSTALLATION

Installation is critical in ensuring that the full potential of your MONN Mura floor is realised. Fitting should be done by specialist contractors who install according to SANS 10186:2010. Installation guides are included with each box of MONN Mura.

MONN Grading	Heavy Commercial
Tile Size	250mm x 1000 mm
Construction	Level Loop Pile
Tufted Gauge	5/64"
Fibre Type	100% Solution Dyed Aquafil Chroma 3
Fire Rating	Class 2
Pile Height	+/- 3.0 mm
Total Thickness	+/- 7.0 mm
Total Mass	+/- 4200 g/sqm
Static Control	Permanent
Green label plus	Pass

S A C A S
ISO 9001:2008

Normal tolerances apply

DISCLAIMER:

Please note that colour samples are not exact indications of the final MONN Mura floor colours. Samples may be subject to colour gradients and other styling effects unique to MONN Mura.