MONN

PLANC



ELEGANT PROPORTIONS FOR VERSATILE FLOORS





A contemporary range of loose-lay tufted carpet tiles, MONN Planc's elegant proportions for versatile floors allow for a multitude of laying patterns inspired by traditional parquet or wooden floors.

The range is available in seven colourways, all of which evoke the subtle yet distinct regional hues of South African landscapes for a sophisticated palette. The natural shades are complemented by five intense accent colours that allow for zoning, bordering as well as endless possibilities in creating patterns.

Planc soft flooring provides excellent sound insulation and improved air quality thanks to its dust-capturing capabilities, making it highly suitable for commercial use. The solution-dyed Aquafil Nylon 6 fibre provides excellent durability and colour fastness ensuring the longevity of Planc floors.

COLOUR & SPECIFICATIONS



MONN Grading Tile Size Construction Heavy Commercial 250 mm x 1000 mm Tufted Textured Loop Pile

Tufted Gauge Fibre Type 5/64" 100% Solution Dyed

Aquafil Alto Chroma Nylon 6

Fire Rating Pile Height Total Thickness Total Mass Static Control Green label plus Class 2 +/- 3.0 mm +/- 7.0 mm +/- 4200 g/sqm

Permanent PASS

Normal tolerances apply

DISCLAIMER:

Please note that colour samples are not exact indications of the final MONN Planc floor colours. Samples may be subject to colour gradients and other styling effects unique to MONN Planc.

PERFORMANCE AND BENEFITS

The slender plank-like modules of MONN Planc allow for a variety of laying patterns and different colours from the same range can be used to create borders or zones within a single space. Planc's dimensions are also compatible with MONN Bureau and when used together provide endless design possibilities. The modular system also allows for easy replacement of individual tiles that may get damaged or worn over time. Compared to laminates and hard flooring systems, Planc provides superior comfort and sound insulation, while also enhancing indoor air quality by trapping dust particles.

COLOUR SELECTION

Choosing the right colour for the right application in terms of traffic and use, is important to ensure the long term appearance and serviceability of your MONN Planc floor. Consult our experienced sales representatives for advice on the best colour for your project.

STAIN RESISTANCE

MONN Planc is made from Aquafil Alto Chroma Nylon-6. This 100% solution-dyed nylon pile surface has superior colour fastness and stain resistance ensuring MONN Planc retains its original appearance for longer. All MONN Planc modules have been pre-washed, increasing resistance to traffic-related soiling.

MAINTENANCE

The effectiveness of any cleaning programme depends on careful supervision and the correct use of the right equipment. Consider a maintenance programme in accordance with SANS 10245:2008. Vacuuming and quick spill clean-up is the most effective and economical way of maintaining your MONN Planc floor. Comprehensive maintenance guides are readily available from our sales office and online at www.monn.co.za.

INSTALLATION

Installation is critical in ensuring that the full potential of your MONN Planc floor is realised. Fitting should be done by specialist contractors who install according to SANS 10186:2010. Installation guides are included with each box of MONN Planc.

Head Office Harrismith +27 58 623 2805 enquiries@monn.co.za

Design & Sales DepartmentJohannesburg
+27 11 704 7379

Design & Sales Department Cape Town +27 21 555 0751

www.monn.co.za